



SWAMP RIDER

MADE IN CANADA



Winnipeg, Manitoba, Canada
info@swamp-rider.com



SR-V "MAX"

Seats	6
Weight	2645 lbs
Top speed (land)	20 mph
Top speed (water)	3 mph
Load capacity	
Water	1100 lbs
Land	1550 lbs
Dimensions	
Length	150 inch
Height	92 inch
Wheel base	95 inch
Tires	1370x600x533 mm 54x23.6x21 inch



SR-V "CABIN"



Seats	2
Weight	2645 lbs
Top speed (land)	20 mph
Top speed (water)	3 mph

Load capacity	
Water	1100 lbs
Land	1550 lbs

Dimensions	
Length	150 inch
Height	92 inch
Wheel base	95 inch

Tires	1370x600x533 mm 54x23.6x21 inch
-------	------------------------------------



SR-V "ROPS"

Seats	6
Weight	2465 lbs
Top speed (land)	20 mph
Top speed (water)	3 mph
Load capacity	
Water	1100 lbs
Land	1550 lbs
Dimensions	
Length	150 inch
Height	92 inch
Wheel base	95 inch
Tires	1370x600x533 mm 54x23.6x21 inch




ENGINE

Engine model	D1105-E4B
Emission regulation	EPA/CARB Tier 4 + EU Stage V
Type	Vertical, water cooled 4-cycle diesel engine
Cylinders	3
Bore and stroke mm (in)	78.0 x 78.4 (3.07 x 3.09)
Displacement L (cu.in)	1.123 (68.53)
Aspiration	Naturally aspirated
Aftertreatment	-
Rated output/speed* ¹ kW(HP)/rpm	18.5 (24.8) / 3000
Maximum torque/speed Nm (lb-ft)/rpm	71.5 (52.7) / 2200
Combustion system	Indirect injection
Fuel system	In-line pump
Length x Width x Height (without aftertreatment unit)mm(in)	480 x 396 x 605 (18.9 x 15.6 x 23.8)
Dry weight kg (lb)	93 (205)



Kubota

SR-V "MAX"



150 inch (3827 mm)



95 inch (2400 mm)

92 inch (2346 mm)




SR-V

"CABIN"



92 inch (2346 mm)



150 inch (3827 mm)



95 inch (2400 mm)



SR-V "ROPS"



150 inch (3827 mm)



95 inch (2400 mm)



92 inch (2346 mm)

